



OLI- LED LIGHTING



Building a platform for green and sustainable environment



COMPANY PROFILE

OLI Led Lighting is a leading enterprise which is engaged in the field of research and development, production and sale of all kind of LED Lightings and LED Video walls.

Our Sales office located in Chennai with a modern plant more than 1000 square feet, which houses advanced production equipment, strict management system and excellent R&D and management staff.

We specialize in the research and production of LED Lighting Especially LED Drivers which can withstand Indian power condition. Our R&D strives for environmental protection and energy saving rationalization with high and new science and technology.

OLI- Led and its business partner's work with customers across India and in virtually every industry to provide the powerful LED Lighting solutions and sales they need. OLI believes in providing substantial value for its customers by offering products that have the best technological foundation and are priced to meet today's demanding budgets

We are dealing with

DOWN LIGHT

VIDEO WALL

SECONDARY ROAD STREET LIGHT

SELF BALLAST LED LAMP

SPECIALITY LED DISPLAYS

LED - BULBS



MODEL NO : OLI-5W 03 BL W/WW

WATTAGE : 5W

LUMEN : 460 - 500LN

BASE : B22, E27



MODEL NO : OLI-6W 02 CNL W/WW

WATTAGE : 6W

LUMEN : 560 - 600LN

BASE : E14, E27



MODEL NO : OLI-7W 01 ABL W/WW

WATTAGE : 7W

LUMEN : 660 - 700LN

BASE : B22, E27

LED - SPOT LIGHT



OLI-3W MR16

WATTAGE : 3W

LUMENS : 260 - 300LN

Base : MR16, GU10



OLI-5W LB-GU10

WATTAGE : 5W

LUMEN : 460 - 500LN

Replacement for : 35W Halogen



OLI-8W LB-GU10

WATTAGE : 8W

LUMEN : 760 - 800LN

Replacement for : 50W Halogen

LED - DOWN LIGHT



MODEL NO : OLI-5W 01 DL W/WW

WATTAGE : 5W

LUMEN : 500 - 550LN

SIZE (mm) : Ø100 x 45

CUTOUT (mm) : Ø85



MODEL NO : OLI-8W 02 DL W/WW

WATTAGE : 8W

LUMEN : 800 - 880LN

SIZE (mm) : Ø125 x 50

CUTOUT (mm) : Ø110



MODEL NO : OLI-10W 04 DL W/WW

WATTAGE : 10W

LUMEN : 1000 - 1100LN

SIZE (mm) : Ø125 x 50

CUTOUT (mm) : Ø110

LED - DOWN LIGHT



MODEL NO : OLI-12W BL W/WW

WATTAGE : 12W

LUMEN : 1200 - 1400LN

SIZE (mm) : Ø125 x 50

CUTOUT (mm) : Ø110



MODEL NO : OLI-15W W/WW

WATTAGE : 15W

LUMEN : 1500 - 1550LN

SIZE (mm) : Ø125 x 50

CUTOUT (mm) : Ø110



MODEL NO : OLI-18W W/WW

WATTAGE : 18W

LUMEN : 1800 - 1900LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-22W BL W/WW

WATTAGE : 22W

LUMEN : 2200 - 2300LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-24W BL W/WW

WATTAGE : 24W

LUMEN : 2400 - 2600LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-36W 2X2 W/WW

WATTAGE : 36W

LUMEN : 3600 - 3800LN

SIZE (mm) : Ø600 X 600 X 20

CUTOUT (mm) : Ø575

LED - DOWN LIGHT



MODEL NO : OLI-5W SQ W/WW

WATTAGE : 5W

LUMEN : 500 - 550LN

SIZE (mm) : Ø110 x 110 x 30

CUTOUT (mm) : Ø80 x 80



MODEL NO : OLI-12W SQ W/WW

WATTAGE : 12W

LUMEN : 1200 - 1400LN

SIZE (mm) : Ø155 x 155 x 30

CUTOUT (mm) : Ø120 x 120



MODEL NO : OLI-18W SQ W/WW

WATTAGE : 18W

LUMEN : 1800 - 1900LN

SIZE (mm) : Ø200 x 200 x 30

CUTOUT (mm) : Ø170 x 170

LED - TUBE LIGHT



MODEL NO : OLI-9W T8 W/WW

WATTAGE : 9W

LUMEN : 850 - 900LN

SIZE (mm) : 2 Ft

CUTOUT (mm) : NIL



MODEL NO : OLI-18W T8 W/WW

WATTAGE : 18W

LUMEN : 1800 - 2000LN

SIZE (mm) : 4 Ft

CUTOUT (mm) : NIL



MODEL NO : OLI-18W T8 02 W/WW

WATTAGE : 18W

LUMEN : 1800 - 2000LN

SIZE (mm) : 4 Ft

CUTOUT (mm) : NIL

LED - SURFACE MOUNT DOWN LIGHT



MODEL NO : OLI-12W SM W/WW

WATTAGE : 12W

LUMEN : 1000 - 1200LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-8W SM W/WW

WATTAGE : 6W / 8W / 12W

LUMEN : 1450 - 1550LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-8W SM W/WW

WATTAGE : 15W / 18W

LUMEN : 1450 - 1550LN

SIZE (mm) : Ø180 x 90

CUTOUT (mm) : Ø160



MODEL NO : OLI-8W SQ W/WW

WATTAGE : 6W / 8W / 12W

LUMEN : 800 - 850LN

SIZE (mm) : Ø110 x 110 x 30

CUTOUT (mm) : Ø80 x 80



MODEL NO : OLI-15W SM W/WW

WATTAGE : 15W / 18W

LUMEN : 1500 - 1600LN

SIZE (mm) : Ø155 x 155 x 30

CUTOUT (mm) : Ø120 x 120



MODEL NO : OLI-10W SM W/WW


WATTAGE : 10W

LUMEN : 950 - 1000LN

SIZE (mm) : Ø200 x 200 x 30

CUTOUT (mm) : Ø170 x 170

LED - STRIP LIGHT



MODEL NO : OLI- 3528/505030/60 STR

WATTAGE : 4.5W / 7W /15W

LUMEN : 90-100LN / W

IP RATING : IP44 / IP65 / IP66

COLOR : COOL WHITE



MODEL NO : OLI - 3528 / 5050 30/60 STR

WATTAGE : 4.5W / 7W / 15W

LUMEN : 90 - 100LN / W

IP RATING : IP44 / IP65 / IP66

COLOR : WARM WHITE



MODEL NO : OLI - 5050 30 / 60 RGB STR

WATTAGE : 7W / 15W

LUMEN : 90 - 100LN / W

IP RATING : IP44 / IP65 /IP66

COLOR : RGB-MULTI COLOR

LED - SPOT LIGHT



MODEL NO : OLI-1W SPL W/WW

WATTAGE : 1W

LUMEN : 100 - 110LN

SIZE (mm) : Ø55 x 20

CUTOUT (mm) : Ø40



MODEL NO : OLI-3W SPL W/WW

WATTAGE : 3W

LUMEN : 300- 330LN

SIZE (mm) : Ø90 x 60

CUTOUT (mm) : Ø70



MODEL NO : OLI-6W SPL W/WW

WATTAGE : 6W

LUMEN : 600 - 660LN

SIZE (mm) : Ø120 x 60

CUTOUT (mm) : Ø90



MODEL NO : OLI-9W SPL W/WW

WATTAGE : 9W

LUMEN : 900 - 990LN

SIZE (mm) : Ø140 X 80

CUTOUT (mm) : Ø110



MODEL NO : OLI-12W SPL W/WW

WATTAGE : 12W

LUMEN : 1200 - 1400LN

SIZE (mm) : Ø155 X 80

CUTOUT (mm) : Ø130



MODEL NO : OLI-18W SPL W/WW

WATTAGE : 18W

LUMEN : 1800 - 1900LN

SIZE (mm) : Ø195 X 90

CUTOUT (mm) : Ø170

LED - STREET LIGHT



MODEL NO : OLI-12W STL W/WW

WATTAGE : 12W / 15W

LUMEN : 1200 - 1350LN

SIZE (mm) : Ø300 X 135 X 60

IP RATING : IP65



MODEL NO : OLI-40/60/80W STL W/WW

WATTAGE : 40W / 60W / 80W

LUMEN : 3800 - 4200LN

SIZE (mm) : Ø450 X 200 X 60

IP RATING : IP65



MODEL NO : OLI-100/120/150W W/WW

WATTAGE : 100W / 120W / 150W

LUMEN : 9750- 11500LN

SIZE (mm) : Ø395 X 275 X 195

IP RATING : IP65

LED - OUTDOOR LIGHT



MODEL NO : OLI-10/20/30W FL W/WW

WATTAGE : 10W / 20W / 30W

LUMEN : 110LN/W

IP RATING : IP65

COLOR : W / WW / RGB



MODEL NO : OLI-3W GL W/WW

WATTAGE : 3W / 9W

LUMEN : 110LN/W

IP RATING : IP65

COLOR : W / WW / RGB



MODEL NO : OLI-3W BL W/WW

WATTAGE : 1W / 3W / 5W

LUMEN : 110LN

IP RATING : IP65

COLOR : W / WW / RGB



MODEL NO : OLI-12W UD W/WW

WATTAGE : 12W

LUMEN : 110LN/W

IP RATING : IP65

COLOR : W / WW / RGB




MODEL NO : OLI-24W FCS W/WW

WATTAGE : 24W

LUMEN : 110LN/W

IP RATING : IP65

COLOR : W / WW / RGB



MODEL NO : OLI-1W INW W/WW

WATTAGE : 1W

LUMEN : 110LN/W

SIZE (mm) : Ø110 X 90

CUTOUT (mm) : Ø80

LED - INDUSTRIAL LIGHT



MODEL NO : OLI-50/100W BAY W/WW

WATTAGE : 50W / 100W

LUMEN : 9900 - 11000LN

SIZE (mm) : Ø400x 335

COLOR : W / WW



MODEL NO : OLI-10/20W W/WW

WATTAGE : 10W

LUMEN : 990 - 1100LN

SIZE (mm) : Ø150 x 80

COLOR : W / WW



MODEL NO : OLI-7/15W W/WW

WATTAGE : 7W / 15W / M

LUMEN : 110LN

SIZE (M) : Ø 5 STARTING

COLOR : W / WW /RGB

LED - OUTDOOR DESIGN LIGHT



MODEL NO : OLI-1/3W JL W/WW

WATTAGE : 1W / 3W

LUMEN : 110LN

SIZE (mm) : Ø40 X 35

COLOR : W / WW



MODEL NO : OLI-RUNNING DISPLAY

WATTAGE : DEPT.SIZE

COLOR : RED / GREEN / YELLOW

SIZE (mm) : DEPT.



MODEL NO : OLI-LED VIDEO WALL

RATING : PH6 / PH8 / PH10

APPLICATION : INDOOR / OUT DOOR

SIZE (mm) : DEPT.



MODEL NO : OLI-18/36W WWL W/WW

WATTAGE : 18W / 36W

IP RATING : IP65

SIZE (mm) : Ø1000 X 75 X 75

COLOR : W / WW / RGB



MODEL NO : OLI-3X36/3X54W PAR W/WW

WATTAGE : 3X36W / 3X54W

IP RATING : IP44 / IP65

SIZE (mm) : Ø280 X 350

COLOR : W / RGB



MODEL NO : OLI-3W SQ W/WW

WATTAGE : 3W


LUMEN : 110LN

SIZE (mm) : Ø300 X 160 X 30

COLOR : RED / GREEN



KEY CLIENTS



TECHNICAL PARTNERS




SEOUL SEMICONDUCTOR

Building a platform for green and sustainable environment



PIXEL RGB LED LIGHTING



Pixel RGB lighting is a new concept for Architectural Visual Design. High brightness LED Pixel lighting enables you to create high visual impact in both outdoor as well as high bright indoor applications.

Once mounted, the pixel Lights can create various patterns, Words, Videos, Logos etc, even with different color changing modes. Our Pixel lighting products are highly versatile and provide possibilities with this innovative product solution to include not only stunningly bright video displays of any size, shape or form but also lighting-type effects. These features make this product suitable for high visibility, flexibility, durability and low maintenance with energy saving advantages.

Our team of expert Designers, Engineers and Technicians will offer you product to suit your individual needs. We offer turnkey solutions to bring your imagination to life.

**5/523, Velachery Main Road,
Medavakkam, Chennai-600100, Tamilnadu.**

**Mobiles: +91-98841 80066
+91-99620 00143
+91-90031 00404**

Web : www.oli-led.com

